

THE NEW 256i/306i CAN DO EVERYTHING

THAT A MULTIFUNCTIONAL SYSTEM SHOULD. IT'S PRACTICALLY SELF-EXPLANATORY.



FINALLY, A MULTIFUNC-TIONAL SYSTEM THAT YOU CAN USE RIGHT AWAY.

WITH THE NEW 256i/306i YOU GET A TALENTED ALL-ROUNDER THAT MAKES YOUR OFFICE LIFE EASY. AND IT SAVES YOU TIME, SPACE AND ENERGY!

Enjoy using an A3 multifunctional system without having to be a system administrator or reading through extensive user manuals. Your new 256i/306i almost works by itself. It can be used intuitively and is practically self-explanatory, whether you want to copy, print or scan.

And it can be easily integrated into almost any network environment. The Quick Setup Wizard guides you through, step by step.

But there are many more advantages that make the compact 256i/306i the ideal working partner in small departments or at the reception, for example, the HyPAS¹¹ interface. It allows you to adapt the system to your specific needs and, with the integration of the optional Scan2OCR software, create text searchable documents while scanning. It's easy. You no longer need to bother with typing or waste time searching for documents.

And if you want to use other features such as Follow-Me-Printing or archiving solutions, you can add them later if you need to. You can even assign your jobs to individual projects thanks to an authentication function. This helps you to control costs while ensuring better security for sensitive data.

Speaking of security: Your printouts are safe from prying eyes thanks to the 'private print' feature and direct printing from a USB stick. Authentication for control of user authorization is also possible, for example, with the Card Authentication Kit (B)**.

Even with all of these flexible features and multifunctional capabilities, the 256i/306i operates at a low noise level and is highly energy efficient, running on just 0.9 Watts in sleep mode, with low weekly average consumption rates.



500-sheet finisher Create dispatch-ready, stapled documents



1 x 500-sheet or 2 x 500-sheet paper cassettes, alternative: cabinet no. 62 (without illustration)

256i/306i

MULTIFUNCTIONAL SYSTEM

Model for entry to mid-level volumes

A

Equipped with 1 x 500-sheet universal cassette, duplex unit, original feeder and job separator as standard



Intuitive operation



Automatic document processing



High security

WHAT IT'LL DO FOR YOU:

- Intuitive and customisable: The colour touch panel guarantees user-friendly operation. Commonly used features can be stored as favourites and recalled when needed.
- Productive and efficient: Copy and print up to 25 or 30 A4 pages per minute and scan up to 40 A4 pages per minute.
- Easy, automatic features: Original feeder with auto reverse function offering a capacity of 50 pages scans in black/white or colour, single or double-sided. Over 50 documents can be scanned for one job, if required.
- Seamless communication: The optional fax kit has a wide range of functions and ensures excellent communication.
- Versatile and flexible: Up to 3 x 500-sheet universal cassettes* and the 100-sheet multi bypass can process paper weights between 60 and 163 g/m² or 256 g/m², respectively.
- Economical use of resources: Long-lasting components ensure that the toner cartridge is the only part that needs to be replaced on a regular basis.



¹)requires optional memory

^{*}optional

^{**}optional, without illustration



256i/306i

TECHNICAL DATA

General

Copy/print speed

Type Desktop

Function Copy, print, scan, optional: fax

Print technology Laser b/w

 Original feeder
 50 sheet A4 (standard)

 Original format
 max A3 from platen glass

max 12 A3 pages/min 306i: max 30 A4 pages/min and

max 15 A3 pages/min

256i: max 25 A4 pages/min and

1st page 7.8 seconds*
Warm-up time 20 seconds
Copy resolution 600 x 600 dpi

Greyscales 256

Paper feed 1 x 500 sheet universal cassette (A5R-

A3), 100 sheet multi-bypass [A6R-A3])

Paper weights Universal cassette 60–163 g/m², multi-

bypass 45-256 g/m², duplex 60-163 g/m²

Paper output 250 sheet A4

Job separator 50 sheet A4 (standard)

System memory 1 GB RAM, max 2 GB RAM

Continuous copying 1-999 copies

Zoom 25 % – 400 % in steps of 1 %

Functions Adjustable touch screen, duplex, direct

printing from/scanning to USB stick, job reservation, N-up, Favorites, 100 management codes/20 easy logins, etc.

Dimensions/Weight

Dimensions 694 x 590 x 590 mm (H x W x D)

Weight approx. 52 kg

Environment

Mains voltage 220/240 V, 50 Hz

Power consumption approx. 530/560 W in operation

(256i/306i), approx. 114 W in stand-by mode, approx. 0.9 W in sleep mode

Noise level approx. 59.8 dB(A) in operation,

approx. 44 dB(A) in stand-by mode

(ISO 7779/9296)

Safety GS/TÜV, CE

Print System

Type Integrated within the system

Print format A6R-A3
Print resolution 600 x 600 dpi

Processor PowerPC 464/800 MHz

Interfaces USB 2.0, 10/100/1000BaseTX,

USB host (2), CF slot

Network protocols TCP/IP, Net BEUI, EtherTalk

Operating systems Windows 2000, XP, Vista, Windows 7, Server 2003/2008 R2, Novell NetWare,

Linux. Mac ex OS X

Emulations PCL6 (5e, XL), KPDL 3 (PostScript 3

compatible), XPS, PRESCRIBE IIe

Functions PDF/XPS direct printing, printing of

e-mails, private printing, barcode printing

Scan system

Scan type CCD colour and b/w

Scan format max A3

Scan speed b/w: max 40/14 A4 originals/min

(simplex/duplex) with 300 dpi, colour: max 20/9 A4 originals/min (simplex/

duplex) with 300 dpi

Scan resolution 200 dpi, 300 dpi, 400 dpi, 600 dpi

Scan mode Photo, text, photo/text, OCR
File types TIFF, PDF, JPEG, XPS

Interfaces 10/100/1000BaseTX, USB 2.0

Network protocol TCP/IP

Operating systems Windows XP, Vista, Windows 7,

Server 2003/2008 R2, Novell NetWare,

Linux, Mac ex OS X

Functions Scan to SMB, scan to e-mail, scan to FTP,

scan to USB, TWAIN scan, WIA scan, SMTP authentication, LDAP

Optional fax system (U)

Compatibility Super G3
Original format max A3
Modem speed 33.6 kbps

Transmission speed 3 seconds or less using JBIG

Compression method JBIG, MMR, MR, MH

Fax resolution Standard (200 x 100 dpi), fine (200 x

200 dpi), super fine (200 x 400 dpi),

ultra fine (400 x 400 dpi)

Fax memory 16 MB (9.5 MB image memory)

Abbreviated dial 200 numbers
One touch dial 100 numbers
Group dial 50 numbers

Operating systems Windows XP, Vista, Windows 7,

Server 2003/2008 R2

Functions Network fax driver, automatic redialling.

delayed transmission

Options

Finisher DF-470 internal finisher (capacity: 500

sheet A4, stapling max 50 sheet A4)

Paper feed PF-470 (max 1 x 500 sheet universal

cassette [A5R-A3]), PF-471 (max 2 x 500

sheet universal cassettes [A5R–A3])

Other options Card authentication kit (B), card reader

holder (B), UG-33 ThinPrint® kit, IB-50

Gigabit Ethernet card, cabinet no. 62

To enable HyPAS functionality additional

memory is required.

The 256i and the 306i are manufactured in accordance with the requirements of

the Energy Star Program.

Specifications subject to change without notice. Image shows machine with optional accessories.

Since 1961 UTAX GmbH has been a brand for professional office technology. As a partner to retailers and medium-sized companies, we specialise in sales and integration of printing, copying and multifunctional systems in business IT. When advising our customers, we always strive to support their strategic business objectives with UTAX solutions. In addition to hardware, UTAX also develops customized software for efficient document management.

UTAX recommends the use of original UTAX accessories for trouble-free operation of your system. For recommended print media refer to the user manual. UTAX and the UTAX logo are registered trademarks of UTAX GmbH. All other brand names referred to are registered trademarks of the respective manufacturers.



Your UTAX dealer

^{*}Depending on operating status.